

SECTION 1: PRODUCT AND COMPANY INFORMATION


Issue Date: 05/05/15
Date of previous: 07/15/11

Manufacturer Modern Stone Technologies–2225 West Pecos Rd.-Suite 12 – Chandler– AZ 85224 (866) 868-0810
Product Family Cleaner
Trade Name(s) Ultra Clean
Recommended Uses Deep cleaning, degreasing, light stripping, dewaxing

24-Hour Emergency Phone Number - CHEMTREC International: (703) 527-3887

SECTION 2: HAZARD IDENTIFICATION**Classification:**

Skin Corrosion/Irritation, Category 1A
Acute Toxicity (Oral), Category 4
Eye Damage/Irritation, Category 1



Hazard Pictogram: Corrosion, Exclamation

Signal Word: Danger

Hazard Statement: Causes severe burns and eye damage.

Precautionary Statements:**Prevention**

Do not breath vapor or mist. Wash immediately if skin or eye contact occurs. Wear protective gloves/clothing/eye wear and face gear.

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. **IF ON SKIN:** Take off contaminated clothing immediately. Wash skin thoroughly. Wash contaminated clothing before reuse. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call medical doctor or poison control. P310 - Seek medical attention immediately. **IF IN EYES:** Rinse with plenty of fresh water for 20 minutes. (remove contact lenses if present).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	Percentage
2-Aminoethanol	141-43-5	5-20%
Sodium Hydroxide	1310-73-2	5-15%
2-Butoxyethanol	111-76-2	5-20%

Varied percentages are shown due to batch variations and/or to protect formula confidentiality. This mixture may contain additional non-hazardous ingredients not required in this section, and any available exposure limits will be recorded in section 8.

SECTION 4: FIRST AID MEASURES

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 20 minutes while removing contaminated clothing and shoes. Call medical doctor or poison control center immediately. Get medical attention immediately.

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Inhalation: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Call medical doctor or poison control center immediately. Get medical attention immediately.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call medical doctor or poison control center immediately.

SECTION 5: FIREFIGHTING MEASURES

Basic Firefighting Procedures: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Unusual Fire and Explosion Hazards: No specific fire or explosion hazard.

SECTION 6: ACCIDENTAL RELEASE MEASURES**Refer to Section 8: Exposure Control and Personal Protection**

Emergency Action: Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Spill/Leak Procedure: Stop leak if without risk. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed

waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Notification: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SECTION 7: HANDLING AND STORAGE

Refer to Section 8: Exposure Control and Personal Protection

Handling: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Empty containers retain product residue and can be hazardous.

Storage: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Component: 2-Aminoethanol **CAS:** 141-43-5
ACGIH – 3 ppm TWA, 6 ppm STEL
NIOSH – 3 ppm, 8 mg/m³ TWA, 30 ppm IDLH
OSHA Final PELs – 3 ppm, 6 mg/m³ TWA
OSHA Vacated PELs: 3 ppm, 8 mg/m³ TWA

Component: Sodium Hydroxide **CAS:** 1310-73-2
OSHA Permissible Exposure Limit (PEL): 2 mg/m³ Ceiling
ACGIH Threshold Limit value (TLV): 2 mg/m³ Ceiling

Component: 2-Butoxyethanol **CAS:** 111-76-2
ACGIH (TWA/TLV): 20 ppm
NIOSH (TWA): 5 ppm
OSHA Skin Designation (TWA): 25 ppm, 120 mg/m³
OSHA Potential for Dermal Absorption (TWA): 50 ppm, 240 mg/m³

Engineering Controls: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Eye and Face Protection: Safety eyewear should be used when there is a likelihood of exposure. Recommended: Chemical splash goggles or face shield.

Skin Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Rubber apron and/or long sleeves.

Respiratory Protection: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: Self-contained breathing apparatus (SCBA) should be used to avoid inhalation of the product. Ensure an MSHA/NIOSH-approved respirator or equivalent is used.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid		
Odor	Mild		
Color	Green		
Melting/Freezing Point (°F/°C)	0°C (32°F)		
Boiling/condensation point (°F/°C)	>100°C (>212°F)		
Relative Density	>1		
Vapor Density	>1 [Air=1]		
Evaporation Rate	<1 (butyl acetate = 1)		

Note: Easily soluble in cold and hot water.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Oxidizing materials and alkalis.

Chemical Stability: The product is stable.

Stability/Incompatibility: Highly reactive or incompatible with the following materials: acids and moisture.

Conditions to Avoid: No data

Hazardous Reactions/Decomposition Products: Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity:

2-Aminoethanol: LD50 Oral (Rat) = 1720 mg/kg
Sodium Hydroxide: LD50 Oral (Rat) = 273 mg/kg

2-Butoxyethanol: LC50 Inhalation Vapor (Rat) = 450 ppm 4 hours
 LD50 Dermal (Rabbit) = 220 mg/kg
 LD50 Oral (Rat) = 250 mg/kg

Irritation/Corrosion:

2-Aminoethanol: Eyes - Severe irritant (Rabbit)
 Skin - Moderate irritant (Rabbit)
 Sodium Hydroxide: Eyes - Moderate irritant (Rabbit)
 Skin - Severe irritant (Rabbit)

Carcinogenicity:

2-Butoxyethanol: ACGIH A3, IARC 3

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: No known significant effects or critical hazards.

Aquatic ecotoxicity:

2-Aminoethanol: Acute LC50 >100000 ug/L Marine water Crustaceans - Crangon crangon - Adult 48 hours
 Acute LC50 150 mg/L Fresh water Fish - Oncorhynchus mykiss - Yolk-sac fry 96 hours
 Sodium Hydroxide: Acute LC50 80000 ug/L Fresh water Fish - Gambusia affinis - Adult 96 hours
 2-Butoxyethanol: Acute EC50 >1000 mg/L Fresh water Daphnia - Daphnia magna - <24 hours 48 hours
 Acute LC50 800000 to 1000000 ug/L Marine water Crustaceans - Crangon crangon 48 hours
 Acute LC50 1250000 ug/L Marine water Fish - Menidia beryllina - 40 to 100 mm 96 hours
 Chronic NOEC 1000 mg/L Fresh water Daphnia - Daphnia magna - <24 hours 48 hours

SECTION 13: DISPOSAL CONSIDERATION

Do not reuse empty containers. Containers should be recycled or disposed of at an approved waste facility. Unused product and container should be disposed of according to local, state, and federal regulations at an appropriate facility.

SECTION 14: TRANSPORT INFORMATION**DOT Classification:**

Proper Shipping Name - CORROSIVE LIQUID,BASIC, INORGANIC,N.O.S. (Sodium Hydroxide)
 ORM-D Consumer Commodity. Please refer to 49 CFR 173.54, 203,,241 for details.
UN number – UN3266
Class – 8
Packing Group – III

TDG Classification:

Proper Shipping Name - CORROSIVE LIQUID,BASIC, INORGANIC,N.O.S. (Sodium Hydroxide)
UN number – UN3266
Class – 8
Packing Group – III

Mexico Classification:

Proper Shipping Name - CORROSIVE LIQUID,BASIC, INORGANIC,N.O.S. (Sodium Hydroxide)
UN number – UN3266
Class – 8
Packing Group – III

IMDG Classification:

Proper Shipping Name - CORROSIVE LIQUID,BASIC, INORGANIC,N.O.S. (Sodium Hydroxide)
UN number – UN3266
Class – 8
Packing Group – III

IATA-DGR Classification:

Proper Shipping Name - CORROSIVE LIQUID,BASIC, INORGANIC,N.O.S. (Sodium Hydroxide)
UN number – UN3266
Class – 8
Packing Group – III

SECTION 15: REGULATORY INFORMATION**HCS Classification**

Toxic material
 Corrosive material
 Target organ effects

U.S. Federal regulations

TSCA 8(a) IUR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): All components are listed or exempted.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.
SARA 302/304/311/312 hazardous chemicals: 2-Aminoethanol; Sodium Hydroxide;
 2-Butoxyethanol
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2-Aminoethanol: Fire hazard, a immediate (acute) health hazard, Delayed (chronic) health hazard; Sodium Hydroxide: Immediate (acute) health

hazard, Delayed (chronic) health hazard; 2-Butoxyethanol: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs):	Not Listed
Clean Air Act Section 602 Class I Substances:	Not Listed
Clean Air Act Section 602 Class II Substances:	Not Listed
DEA List I Chemicals (Precursor Chemicals):	Not Listed
DEA List II Chemicals (Essential Chemicals):	Not Listed

Sara 313:

Form R – Reporting requirements: 2-Butoxyethanol, 111-762, >1
 Supplier Notification: 2-Butoxyethanol, 111-762, >1

Massachusetts: The following components are listed: 2-Aminoethanol; Sodium Hydroxide; 2-Butoxyethanol

New York: The following components are listed: Sodium Hydroxide

New Jersey: The following components are listed: 2-Aminoethanol; Sodium Hydroxide; 2-Butoxyethanol

Pennsylvania: The following components are listed: 2-Aminoethanol; Sodium Hydroxide; 2-Butoxyethanol

California Prop. 65: No products were found.

WHMIS (Canada): Class D-1A: Material causing immediate and serious toxic effects (Very toxic).
 Class E: Corrosive material

Canadian NPRI: The following components are listed: 2-Butoxyethanol

CEPA Toxic substances: The following components are listed: 2-Butoxyethanol

Canada inventory: All components are listed or exempted.

Mexico: Health 3, Flammability 0, Reactivity 0, Special 0

Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory: All components are listed or exempted.

Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

SECTION 16: OTHER INFORMATION

Notice. The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by the vendor for any damage or injury resulting from abnormal use, from failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. This SDS complies with the requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200